



Statement of Special Inspections

This form is provided as a way to list aspects of the project that require special inspection and testing in accordance with IBC Sections 107.1, 1704, and 1705 and define duties and responsibilities of parties involved in the project.

Enter project information:

Project Name:	Plan Review #:
Project Address:	
Name of Person Completing Form:	

SPECIAL INSPECTIONS NOT REQUIRED FOR THIS PROJECT (Please check box, if applicable, to waive form. Plan review staff may ask for a special inspections form to be completed if deemed necessary during review.)

INSTRUCTIONS: The Registered Design Professional in Responsible Charge must complete this form, sign and seal the form and submit 2 copies for review and approval by the Commercial Review Division prior to the issuance of the Building Permit.

DUTIES AND RESPONSIBILITIES: The Owner and Contractor acknowledge assignment of the following duties, responsibilities and conditions applicable to special inspection or testing:

Owner/Owner's Agent:

1. Responsible for contracting with and paying the special inspection agency. To prevent a conflict of interest in the inspection process, the special inspection agency cannot be employed by or paid by the contractor unless the contractor is the property owner.
2. Special inspectors shall meet the minimum qualifications for special inspectors as provided by Table 1 of IAS (see pages 8-10 of this document).

Contractor:

1. Responsible for knowing which special inspections are required for the project and ensures that construction complies with the approved permit documents.
2. Ensures proper notification to the special inspection or testing agency for the items listed herein.

Special Inspection/Testing Agency:

1. Shall meet the minimum qualifications for special inspectors as provided by Table 1 of IAS AC291 (see pages 8-10 of this document)
2. Shall complete the City of Austin (COA) Special Inspections Log upon each site visit.
3. Shall bring nonconforming items to the immediate attention of the contractor and note all such items in the COA Special Inspections Log. If any item is not resolved in a timely manner or is about to be incorporated in the work, the special inspector shall immediately notify the building inspector by phone or in person, notify the registered design professional in responsible charge, and post a discrepancy notice. Blank discrepancy notice forms can be found in the yellow special inspections log folder kept on-site.
4. Shall initial next to each required special inspection on the Summary of Special Inspections table as each item is completed.
5. Shall submit a final signed report to the building inspector stating that all items requiring special inspection and testing were fulfilled. Blank final report forms can be found in the yellow special inspections log folder kept on-site. *All final reports must be submitted and approved before the Certificate(s) of Occupancy for the project will be issued.*

Enter project team information:

Registered Design Professional in Responsible Charge (RDPiRC):	Architect's Seal (sign and date)	Engineer's Seal (sign and date)
Owner Name:		
Architect of Record:		
Structural Engineer of Record:		
MEP Engineer of Record:		

SUMMARY OF SPECIAL INSPECTIONS

Indicate on the form below the types of special inspection required on this project.

Check required inspections, designate continuous or periodic where not pre-filled

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
Alternate Materials and Systems - Section 1705.1							
1.	Construction materials and systems that are alternatives to materials and systems prescribed by the IBC						<input type="checkbox"/>
2.	Unusual design applications of materials described in this code						<input type="checkbox"/>
3.	Materials and systems required to be installed in accordance with additional manufacturer's instructions that prescribe requirements not contained in the IBC or in standards referenced by the IBC						<input type="checkbox"/>
Steel - Section 1705.2							
4.	Structural Steel - Special inspection for structural steel shall be in accordance with the quality assurance inspection requirements of AISC 360 Chapter N P = Perform for each welded joint or members, for each bolted connection and for each steel element O = Observe items on a random basis. Operations need not be delayed pending these inspections			AISC 360 Chapter N			<input type="checkbox"/>
	a. Material verification of structural steel shall comply with the requirements of Section 6.1 of the <i>Code of Standard Practice</i>			Section 6.1 of the <i>Code of Standard Practice</i>			<input type="checkbox"/>
	b. Welding, high-strength bolting, and details in accordance with Section N5			AISC 360 Section N5			<input type="checkbox"/>
	c. Steel deck and headed steel stud anchor placement and attachment in accordance with Section N6			AISC 360 Section N6			<input type="checkbox"/>
	d. Cut surfaces in accordance with Section M2.2			AISC 360 Section M2.2			<input type="checkbox"/>
	e. Heating for straightening in accordance with Section M2.1			AISC 360 Section M2.1			<input type="checkbox"/>
	f. Tolerances for field erection in accordance with Section 7.13 of the <i>Code of Standard Practice</i>			Section 7.13 of the <i>Code of Standard Practice</i>			<input type="checkbox"/>
5.	Material Verification of Cold Formed Steel Deck						<input type="checkbox"/>
	a. Identification markings to conform to ASTM standards specified in the approved construction documents	-	x	Applicable ASTM material standards			<input type="checkbox"/>
	b. Manufacturer's certified test reports	-	x				<input type="checkbox"/>

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
6.	Inspection of welding:						<input type="checkbox"/>
	a. Cold-formed steel deck:						<input type="checkbox"/>
	1) Floor and roof deck welds	-	x	AWS D1.3			<input type="checkbox"/>
	b. Reinforcing steel:						<input type="checkbox"/>
	1) Verification of weldability of reinforcing steel other than ASTM A 706	-	x	AWS D1.4 ACI 318: Section 3.5.2			<input type="checkbox"/>
	2) Reinforcing steel resisting flexural and axial forces in intermediate and special moment frames, and boundary elements of special structural walls of concrete and shear reinforcement	x	-				<input type="checkbox"/>
	3) Shear reinforcement	x	-				<input type="checkbox"/>
	4) Other reinforcing steel	-	x				<input type="checkbox"/>
7.	Cold-formed steel trusses spanning 60 feet or greater						<input type="checkbox"/>
Concrete - Section 1705.3							
8.	Inspection of reinforcing steel, including prestressing tendons, and placement	-	x	ACI 318: 3.5, 7.1-7.7			<input type="checkbox"/>
9.	Inspection of reinforcing steel welding in accordance with Table 1705.2.2, Item 2b	-	-	AWS D1.4 ACI 318: 3.5.2			<input type="checkbox"/>
.10	Inspection of anchors cast in concrete where allowable loads have been increased or where strength design is used	-	x	ACI 318: 8.1.3, 21.1.8			<input type="checkbox"/>
11.	Inspection of anchors post-installed in hardened concrete members	-	x	ACI 318: 3.8.6, 8.1.3, 21.1.8			<input type="checkbox"/>
12.	Verifying use of required design mix	-	x	ACI: Ch. 4, 5.2-5.4			<input type="checkbox"/>
13.	At the time fresh concrete is sampled to fabricate specimens for strength tests, perform slump and air content tests, and determine the temperature of the concrete	x	-	ASTM C 172 ASTM C 31 ACI 318: 5.6, 5.8			<input type="checkbox"/>
14.	Inspection of concrete and shotcrete placement for proper application techniques	x	-	ACI 318: 5.9, 5.10			<input type="checkbox"/>
15.	Inspection for maintenance of specified curing temperatures and techniques	-	x	ACI 318: 5.11-5.13			<input type="checkbox"/>
16.	Inspection of prestressed concrete:	-	-	ACI 318: 18.20 ACI 318: 18.18.4			<input type="checkbox"/>
	a. Application of prestressing forces	x	-				<input type="checkbox"/>
	b. Grouting of bonded prestressing tendons in the seismic force-resisting system	x	-				<input type="checkbox"/>
17.	Erection of precast concrete members	-	x	ACI 318: Ch. 16			<input type="checkbox"/>
18.	Verification of in-situ concrete strength, prior to stressing of tendons in post-tensioned concrete and prior to removal of shores and forms from beams and structural slabs	-	x	ACI 318: 6.2			<input type="checkbox"/>

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
19	Inspect formwork for shape, location, and dimensions of the concrete member being formed	-	x	ACI 318: 6.1.1			<input type="checkbox"/>
20.	Note Exceptions 1, 2, 3, 4 and 5 in Section 1704 discussing footings for buildings three stories or less, nonstructural slabs, foundations and certain exterior concrete features when placed on grade. Check here if Special Inspection for Concrete not required due to exceptions.						<input type="checkbox"/>
Masonry - Section 1705.4							
21.	Level A - Minimum quality assurance program for masonry in Risk Category I, II, or III structures and designed in accordance with Part 4 or Appendix A			ACI 530.1 Table 3.1.1			<input type="checkbox"/>
22.	Level B -						<input type="checkbox"/>
	Minimum quality assurance program for masonry in Risk Category I, II, or III structures and designed in accordance with chapters <i>other</i> than those in Part 4 or Appendix A			ACI 530.1 Table 3.1.2			<input type="checkbox"/>
	Minimum quality assurance program for masonry in Risk Category IV structures and designed in accordance with Chapter 12 or 13			ACI 530.1 Table 3.1.2			<input type="checkbox"/>
23.	Level C - minimum quality assurance program for masonry in Risk Category IV structures and designed in accordance with chapters <i>other</i> than those in Part 4 or Appendix A			ACI 530.1 Table 3.1.3			<input type="checkbox"/>
24.	Vertical Masonry Foundation Elements shall be inspected in accordance with IBC Section 1705.4						<input type="checkbox"/>
Wood - Section 1705.5							
25.	High-load diaphragms:						<input type="checkbox"/>
	a. Inspect wood structural panel sheathing for grade and thickness per approved plans						<input type="checkbox"/>
	b. Verify the nominal size of framing members at adjoining panel edges, the or staple diameter and length, and fastener layout meets approved plans						<input type="checkbox"/>
26.	Metal-plate-connected wood trusses spanning 60 feet or greater: verify temporary installation restraint/bracing and permanent individual truss member restraint/bracing are installed in accordance with the approved truss submittal package						<input type="checkbox"/>
Soils - Section 1705.6							
27.	Verify materials below shallow foundation are adequate to achieve the design bearing capacity	-	x				<input type="checkbox"/>

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
28.	Verify excavations are extended to proper depth and have reached proper material	-	X				<input type="checkbox"/>
29.	Perform classification and testing of compacted fill materials	-	X				<input type="checkbox"/>
30.	Verify use of proper materials, densities and lift thicknesses during placement and compaction of compacted fill	X	-				<input type="checkbox"/>
31.	Prior to placement of compacted fill, observe subgrade and verify that site has been prepared properly	-	X				<input type="checkbox"/>
Driven Deep Foundations - Sections 1705.7							
32.	Verify element materials, sizes and lengths comply with the requirements	X	-				<input type="checkbox"/>
33.	Determine capacities of test elements and conduct additional load tests, as required	X	-				<input type="checkbox"/>
34.	Observe driving operations and maintain complete and accurate records for each element	X	-				<input type="checkbox"/>
35.	Verify placement locations and plumbness, confirm type and size of hammer, record number of blows per foot of penetration, determine required penetrations to achieve design capacity, record tip and butt elevations and document any damage to foundation element	X	-				<input type="checkbox"/>
36.	For steel elements, perform additional inspections in accordance with Section 1705.2	-	-				<input type="checkbox"/>
37.	For concrete elements and concrete-filled elements, perform additional inspections in accordance with Section 1705.3	-	-				<input type="checkbox"/>
38.	For specialty elements, perform additional inspections as determined by the registered design professional in responsible charge	-	-				<input type="checkbox"/>
Cast-in-Place Deep Foundations - Section 1705.8							
39.	Observe drilling operations and maintain complete and accurate records for each element	X	-				<input type="checkbox"/>
40.	Verify placement locations and plumbness, confirm element diameters, bell diameters (if applicable), lengths, embedment into bedrock (if applicable) and adequate end-bearing strata capacity. Record concrete or grout volumes	X	-				<input type="checkbox"/>
41.	For concrete elements, perform additional inspections in accordance with Sec1705.3	-	-				<input type="checkbox"/>

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
Helical Pile Foundations - Section 1705.9							
42.	Record installation equipment used, pile dimensions, tip elevations, final depth, final installation torque and other pertinent installation information as required by RDPiRC						<input type="checkbox"/>
Sprayed Fire-Resistant Materials - Section 1705.13							
43.	Observe the following items: a. Condition of substrates b. Thickness of application c. Density in pounds per cubic foot d. Bond strength adhesion/cohesion e. Condition of finished application						<input type="checkbox"/>
Mastic and Intumescent Coatings - Section 1705.14							
44.	Verify that mastic and intumescent fire-resistant coatings are applied to structural elements and decks in accordance with AWCI 12-B and shall be based on the fire-resistance design as designated in the approved construction documents						<input type="checkbox"/>
Exterior Insulation and Finish Systems - Section 1705.15							
45.	Verify application of all EIFS systems						<input type="checkbox"/>
46.	Verify application of stucco systems			(IBC 2510)			<input type="checkbox"/>
Fire-Resistant Penetrations and Joints - Section 1705.16							
47.	Penetration Firestops - Inspections of penetration firestop systems that are tested and listed in accordance with Sections 714.3.1.2 and 714.4.1.2 shall be conducted by an approved inspection agency in accordance with ASTM E2174						<input type="checkbox"/>
48.	Fire-resistant joint systems - Inspection of fire-resistant joint systems that are tested and listed in accordance with Sections 715.3 and 715.4 shall be conducted by an approved inspection agency in accordance with ASTM E2393						<input type="checkbox"/>
Smoke Control Systems - Section 1705.17							
49.	During erection of ductwork and prior to concealment for the purposes of leakage testing and recording of device location						<input type="checkbox"/>
50.	Prior to occupancy and after sufficient completion for the purposes of pressure difference testing, flow measurement and detection and control verification						<input type="checkbox"/>
Additional Special Inspections and Tests							
51.	Design Strength of Materials - Section 1706						<input type="checkbox"/>
52.	Alternative Test Procedures - Section 1707						<input type="checkbox"/>

SI Item No.	Verification and Inspection	Continuous	Periodic	Referenced Standard	Special Inspector Initials (field use)	Building Inspector Initials (field use)	Check box if Req'd?
53.	Test Safe Load - Section 1708						<input type="checkbox"/>
54.	In-Situe Load Tests - Section 1709						<input type="checkbox"/>
55.	Preconstruction Load Tests - Section 1710						<input type="checkbox"/>
56.	Material and test Standards - Section 1711						<input type="checkbox"/>
57.	Specify other tests, inspections or special instructions as required						<input type="checkbox"/>
Inspection of Fabricators							
58.	Structural Steel						<input type="checkbox"/>
59.	Steel Joists & Girders						<input type="checkbox"/>
60.	Pre-cast Concrete						<input type="checkbox"/>
61.	Prestressed Concrete						<input type="checkbox"/>
62.	Wood Construction (wood trusses, walls, floors, roof assemblies)						<input type="checkbox"/>
63.	Cold-formed steel trusses						<input type="checkbox"/>

This form is intended for buildings or structures assigned to Seismic Design Category A or B and wind speeds V_{osd} less than 100 mph. Notify the Commercial Review Division for buildings or structures outside of these parameters.

TABLE 1 – Minimum Qualifications for Special Inspectors ^{1,2,3}

No.	Special Inspection Category	Required Experience	Required Certification(s)	Notes
8.1.1	Concrete Construction (Pre-stressed/Precast)	Note 4	ICC Pre-stressed SI and ICC Reinforced Concrete SI	
8.1.2	Reinforced Concrete	Note 4	ICC Reinforced Concrete SI or ACI Concrete Construction SI	
8.2	Nondestructive Testing (NDT)	As per relevant provision for Level II	Hours of field experience as per -CP-189 NDT or SNT-TC-1a NDT	
8.3	Pier and Pile Foundations	Note 4	NICET II (geotechnical or construction or construction material testing or soils)	Note 5
8.4	Post-Installed Structural Anchors in Concrete	Note 4	ICC Reinforced Concrete SI or ACI Concrete Construction SI	
8.5	Soils	Note 4	ICC Soils SI (ICC-EC) or NICET II (geotechnical or construction or construction material testing or soils)	Note 5
8.6	Spray-applied Fire-resistant Materials / Intumescent Fire-resistant Coatings / Mastic Fire-resistant Coatings	Note 4	ICC Spray-Applied Fireproofing SI or ICC Fire Inspector I	
8.7.1	Steel (High-Strength Bolting)	Note 4	ICC Structural Steel and Bolting SI	
8.7.2	Steel (Welding)	5 Years Minimum or per AWS	AWS CWI or ICC Structural Steel and Welding SI	
8.8	Masonry Construction	Note 4	ICC Structural Masonry SI	
8.9	Wood Construction	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5
8.10	Exterior Insulation and Finish Systems (EIFS)	Note 4	AWCI EIFS Inspector	
8.11	Firestop Systems	Note 4	UL Firestop Examination or FM Firestop Examination	
8.12	Wall Panels, Curtain Walls, and Veneers	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5
8.13	Smoke Control Systems	Note 4	AABC, NEBB or other equivalent Balancing Technician Certification for personnel, and if subcontracted NEEB/AABC or other equivalent accreditation for agency subcontractor	Note 5
8.14	Mechanical Systems	Note 4	ICC Commercial Mechanical Inspector or ICC Residential Mechanical Inspector	
8.15	Fuel-oil Storage and Piping Systems	Note 4	ICC Commercial Mechanical Inspector or ICC Residential Mechanical Inspector or API Aboveground Storage Tank Inspector	
8.16	Structural Cold-formed Steel	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5

No.	Special Inspection Category	Required Experience	Required Certification(s)	Notes
8.17	Excavation - Sheeting, Shoring, and Bracing	Note 4	NICET II (geotechnical or construction or construction material testing or soils)	Note 5
8.18	High-Pressure Steam Piping (Welding)	5 Years Minimum or per AWS	AWS CWI or ICC Structural Steel and Welding SI	
8.19	Structural Safety - Stability and Mechanical Demolition	Note 4	RDP, PE, or BS Engineering / Architecture where licensing is not practiced or Valid Site Safety Manager Certification	
8.20	Site Storm Drainage Disposal and Detention	Note 4	ICC Soils SI or NICET II (geotechnical or construction or construction material testing or soils)	Note 5
8.21	Sprinkler Systems	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5
8.22	Standpipe Systems	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5
8.23	Heating Systems	Note 4	ICC Commercial Mechanical Inspector or ICC Residential Mechanical Inspector	Note 5
8.24	Chimneys	Note 4	ICC Commercial Mechanical Inspector or ICC Residential Mechanical Inspector	Note 5
8.25	Seismic Isolation Systems	Note 4	RDP, PE, or BS Engineering / Architecture where licensing is not practiced	
8.26	Special Cases	Note 4	ICC Commercial Building Inspector or ICC Residential Building Inspector	Note 5

¹ It is recognized that development of qualified inspectors requires those individuals to obtain experience performing inspections of actual work. The requirements herein include such experience as do some of the required certifications. To provide a vehicle for individuals to obtain this experience, they may perform inspections in accordance with written associate or apprentice programs that are prepared by the SIA, approved by the IAS, and meet the requirements of the local governing authority. These programs must include, at a minimum: passing certification exams, when available, administered by third-party agencies, such as the ICC and ACI; in-house SIA and third-party training; observation by the associate or apprentice of inspections performed by certified inspectors; and performance by the associate or apprentice inspectors of duplicate inspections with certified inspectors. This written program will also define the use of associate or apprentice inspectors and will limit their use based upon the level of supervision and the complexity of the inspection assignment. The complexity of an assignment should be minimal and would often be task specific. Supervision should be direct, with a certified inspector being present at the site with the associate or apprentice. The associate or apprentice to certified inspector ratio on a project site should not exceed 1:1. All documents related to work by an associate or apprentice inspector must be cosigned by a certified inspector. The written program must include documentation of compliance with the program.

² Abbreviations: SI = Special Inspector; ICC = International Code Council; NICET = National Institute for Certification in Engineering Technologies; AWCI = Association of the Wall and Ceiling Industry; UL = Underwriters Laboratories Inc.; AABC = Associated Air Balance Council

³ When qualifications for special inspectors are locally defined by statute, ordinance or rule, and vary from the requirements outlined in this criteria, these local requirements may be recognized at the discretion of IAS.

Notes:

4. Applicants shall comply with one of the following education and experience requirements, unless stipulated by the AHJ with an additional requirement(s):

- a. Professional Engineer (PE), licensed Architect, or Registered Design Professional (RDP) and a minimum of three months of relevant work experience; or
- b. Bachelor of Science Degree (BS) in Engineering, Architecture, or Physical Science and a minimum of six months of relevant work experience; where licensing is not practiced minimum experience period may be extended at the discretion of the AHJ; or
- c. Two years of verified college or technical school (copy of diploma or transcript required) and a minimum of one year of relevant work experience; or
- d. High school or equivalent graduate (copy of diploma or certificate required) and a minimum of two years of verified relevant work experience; or
- e. A minimum of three years of verified relevant work experience

5. RDPs, PEs, or licensed Architects are exempt from *Required Certification(s)* listed in Table 1 above unless required by AHJ, but are subject to on-site assessment of competence by IAS. Where licensing is not practiced, Bachelor of Science Degree (BS) in Engineering, Architecture, or Physical Science shall be used as equivalent educational need. A relevant number of years of experience as mentioned in Note 4 above are desirable for professionals performing inspection, and the need is based on the area of expertise and the AHJ requirements, if any. ■